

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in this application:

**Listing of Claims:**

Claim 1 (currently amended): Water-dilutable polyurethane dispersions comprising structural units derived from polyisocyanates **A**, polyols **B** having a number-average molar mass  $M_n$  of at least 400 g/mol, compounds **D** that contain at least two groups reactive towards isocyanate groups and at least one group capable of anion formation, low molar mass polyols **E** that do not carry any further groups reactive towards isocyanate groups, compounds **G** that are monofunctional towards isocyanates or contain active hydrogen of different reactivity and that are different from the compounds **E**, characterised in that the polyols **B** contain a mass fraction of polycarbonate polyols **B1** of at least 85 %, wherein the polycarbonate polyols **B1** are derived from mixtures of alkylene ether alcohols having from 2 to 4 carbon atoms in the alkylene group, and from 4 to 20 carbon atoms in total, and alpha,omega-dihydroxyalkanes.

Claim 2 (original): The water-dilutable polyurethane dispersions according to claim 1, characterised in that they additionally comprise structural units derived from low molar mass polyols **C** with  $M_n$  of less than 400 g/mol

Claim 3 (original): The water-dilutable polyurethane dispersions according to claim 1, characterised in that they additionally comprise structural units derived from

compounds **H** that are different from **B**, **C**, **D**, **E** and **G** and contain at least two groups reactive towards NCO groups.

Claim 4 (original): The water-dilutable polyurethane dispersions according to claim 1, characterised in that the polycarbonate polyols **B1** have a number-average molar mass  $M_n$  of from 400 g/mol to 5000 g/mol and a hydroxyl number of from 30 mg/g to 280 mg/g.

Claim 5 (original): The water-dilutable polyurethane dispersions according to claim 1, characterised in that there are used as component **B1** only difunctional polycarbonate polyols **B1**.

Claim 6 (original): The water-dilutable polyurethane dispersions according to claim 1, characterised in that up to 5 % of the mass of the polycarbonate polyols **B1** are trivalent or higher-valent polycarbonate polyols.

Claim 7 (original): The water-dilutable polyurethane dispersions according to claim 1, characterised in that the polycarbonate polyols **B1** contain only terminal OH groups.

Claims 8 and 9 (cancelled)

Claim 10 (original): The water-dilutable polyurethane dispersions according to claim 1, characterised in that component **B** comprises further polyols selected from the group consisting of polyether polyols, acrylate polyols and polyolefin polyols.

Claim 11 (original): Coating compositions comprising water-dilutable polyurethane dispersions according to claim 1.

Claim 12 (cancelled)